

Carina Recessed Indoor Intercom



Description

The Carina Recessed Indoor Intercom is designed and manufactured in the USA. With the highest quality two-way audio in the industry, it is perfect for use in schools and universities, warehouses, secure locations, parking garages and retail locations. Using PoE power, installation is simple and secure with optional vandal resistant security screws. Quickly configure each unit with Wahsega's Carina Event Manager, which will automatically detect the intercom at startup. Electrical junction box enclosure (WL-FLMT-BKBX) not included.

Features:

- SIP Compliant
- PoE 802.3af enabled (Power-over-Ethernet)
- Environmental noise suppression
- Full-duplex audio with Acoustic Echo Cancellation (AEC)
- Fully configurable via Carina Event Manager
- Peer-to-peer SIP capable
- Can act as a paging speaker
- On-board relay for door latches
- Mic and speaker volume control

Job Name:	Model Numbers:	Date:
Location:	Notes:	





Specifications

• Ethernet: 10/100 Mbps

• Protocol: SIP RFC 3261 Compatible

• Temperature Range: -40°C to +60°C

 Audio Codecs: G.711 uLaw, G.711 aLaw, G.722 HD, G.726 fixed payload, G.729, DVI4 HD, DVI4 Narrowband, OPUS

• Audio Sampling: Up to 48KHz

• Form C (SPDT) Relay Contact Closure Rating: 30VDC or 270VAC, 3A

• Dimensions: 5.11" H x 5.17" W x 2.81" D

• Electrical Box Required: 4 11/16" H x 4 11/16" W x *minimum* 2 ½" D

• Warranty: 2 years limited

• Regulatory Compliance: FCC Class B

• Power Input: PoE 802.3af

Model Numbers

Wahsega Labs	Intercom	Mount	Protocol	Options	Color	Relay
WL	IC	FLMT	CAR	INB	W	R
Wahsega Labs	Intercom	BKMT = Back M FLMT = Flush M SMT = Surface N	ount	O = Outdoor I = Indoor V = Vandal Resistant (Outdoor only) NB = No Button 2B = Two Buttons	Blank = Brushed Meta W = White Glossy (Interior only)	Relay
WL-IC-SMT-CAR-I-W-R		WL-IC-BKMT-CAR-OV-R		WL-IC-FLMT-CAR-I-W-R		
Wahsega Labs		Wahsega Labs		Wahsega Labs		
Intercom		Intercom		Intercom		
Surface Mount		Back Mount (Pedestal)		Flush Mount (Recessed)		
Carina		Carina		Carina		
Indoor		Outdoor		Indoor		
White		Vanda	Vandal Resistant		White	
with Relay		Brush with R	ed Metal elay		with Relay	


Available Carina Recessed Indoor Intercom Model Numbers:

WL-IC-FLMT-CAR-I-W-R WL-IC-FLMT-CAR-INB-W-R WL-IC-FLMT-CAR-I2B-W-R

Job Name:	Model Numbers:	Date:	
Location:	Notes:		



Dimensions




WL-IC-FLMT-CAR-I-W-R Front view (to scale)

Job Name:	Model Numbers:	Date:	
Location:	Notes:		








WL-IC-FLMT-CAR-I-W-R Side view (to scale)

Job Name:	Model Numbers:	Date:	
Location:	Notes:		





Class 2 (PELV) Terminal Connections



NOTE: Ethernet cable can ONLY be installed in the orientation shown.

Job Name:	M	Model Numbers:	Date:	
Location:	N	Notes:		

