Call / Panic Button

Model No: WL-SPKR-RB-W

Description

The Call / Panic Button can initiate a two-way SIP call or trigger an event / bell in the Carina Event Manager. This device can be configured for up to two different phone numbers or extensions with a short press for non-emergencies and long press to call an emergency number.

This device mounts to a standard single-gang electrical box and can be wired to a Wahsega 2x2 Ceiling Speaker, Wall Mount Speaker (Primary or Second Room), or IP Display.

Key Features

- Call two phone numbers (short and long press)
- Connect to a Wahsega primary speaker, second room speaker or Wahsega IP Display
- Push Button
- Simple-wall mount installation to a single-gang electrical box
- Commercial-grade steel construction

Specifications

- Dimensions: 4.63" x 2.88" x 0.78" (H x W x D)
- Faceplate Materials: 14-gauge steel with powdercoat glossy white finish
- Temperature Range: -40°C to +60°C
- Warranty: 3 years limited

Installation

Standard single-gang electrical box installation.

Wiring and Configuration Tutorial Video - https://bit.ly/call-button-tutorial

Compatibility

The Call / Panic Button is compatible with 2x2 Ceiling and Wall Mount Primary speakers, Second Room speakers and IP Displays.

Primary Speakers
- 2x2 Ceiling IP Speaker - WL-SPKR-22-CAR
- Wall Mount IP Speaker - WL-SPKR-SMT-CAR
- 2x2 Ceiling IP Speaker (InformaCast) - WL-SPKR-22-INF
- Wall Mount IP Speaker (InformaCast) - WL-SPKR-SMT-INF

Second Room (2R) Speakers
- 2x2 Second Room Ceiling Speaker - WL-SPKR-22-2R
- Wall Mount Second Room Speaker - WL-SPKR-SMT-2R

Carina IP Displays
- Small IP Display - WL-IPD-SPKR-510-CAR
- Large IP Display - WL-IPD-SPKR-520-CAR
- Extra Large IP Display - WL-IPD-SPKR-540-CAR
- Wall Mount Double Sided IP Display - WL-IPD-SPKR-510D-CAR
- Ceiling Mount Double Sided IP Display - WL-IPD-SPKR-510D-CAR-TM

IP Displays (InformaCast)
- Small IP Display - WL-IPD-SPKR-510-INF
- Large IP Display - WL-IPD-SPKR-520-INF
- Extra Large IP Display - WL-IPD-SPKR-540-INF
- Wall Mount Double Sided IP Display - WL-IPD-SPKR-510D-INF
- Ceiling Mount Double Sided IP Display - WL-IPD-SPKR-510D-INF-TM

Job Name:	Date:	Location:
Notes:		

Specifications

Front View

Side View

$\begin{bmatrix} .17\text{in} \end{bmatrix}$
$\varnothing 0.43\text{cm}$

$\begin{bmatrix} 3.28\text{in} \end{bmatrix}$
8.33cm

$\begin{bmatrix} 4.63\text{in} \end{bmatrix}$
11.75cm

$\begin{bmatrix} 2.88\text{in} \end{bmatrix}$
7.30cm

$\begin{bmatrix} .08\text{in} \end{bmatrix}$
0.20cm

$\begin{bmatrix} .78\text{in} \end{bmatrix}$
1.97cm

Job Name:	Date:	Location:
Notes:		**wahsega**®