

Specification Submittal



Carina IP Panic Button with Mic

Model No: WL-PBM-CAR-W-R

Description

With its low profile, the Carina IP Panic button with Microphone can be installed under a desk or other discrete location. Users can place an emergency SIP call to a preconfigured phone number, and the answering party can listen in to assess the situation.

The Carina IP Panic Button has an integrated microphone for high quality SIP audio and an on-board relay which can trigger security devices such as a camera or a door lock. This device does no include a speaker.

Key Features

- SIP compliant
- Peer-to-peer SIP capable
- PoE 802.3af enabled (Power-over-Ethernet)
- Environmental noise suppression
- On-board relay
- Advanced button press functionality
- Fully configurable via Wahsega Carina Event Manager
- Web-based volume control
- LED indicator light

Job Name:	Date:	Location:
Notes:		wahsega .

Model No: WL-PBM-CAR-W-R

Specification Submittal

Specifications

- Ethernet: 10/100 Mbps (Can force 10Mbps full-duplex)
- Protocol: SIP RFC 3261 compatible
- Temperature Range: -40°C to +60°C
- Audio Codecs: G.711 uLaw, G.711 aLaw, G.722 HD, G.726 fixed payload, G.729, DVI4 HD, DVI4 Narrowband, OPUS
- Audio Sampling: Up to 48KHz
- Form C (SPDT) Relay Contact Closure Rating: 30VDC or 270VAC, 3A
- Dimensions: 4.87" x 4.35" x 1.18" (H x W x D)
- Warranty: 3 years limited
- Regulatory Compliance: FCC Class B
- Power Input: PoE 802.3af

Installation

The Carina IP Panic Button with Mic can be installed solid wall surface with appropriate wall anchors. Power supplied via Power over Ethernet (PoE) 802.3af. See installation guide for more details.


Job Name:	Date:	Location:
Notes:		wahsega .

Model No: WL-PBM-CAR-W-R

Specification Submittal

Dimensions

Front View




Job Name:	Date:	Location:
Notes:		w ahsega.

Model No: WL-PBM-CAR-W-R

Specification Submittal

Dimensions

Side View




Job Name:	Date:	Location:
Notes:		wahsega.

Model No: WL-PBM-CAR-W-R

Specification Submittal

Dimensions

Top View



Job Name:	Date:	Location:
Notes:		wahsega

Model No: WL-PBM-CAR-W-R

Specification Submittal

Class 2 (PELV) Terminal Connections



Job Name:	Date:	Location:
Notes:		w ahsega.